

# Index

- Absorption chiller, 69
  - maintenance of, 246
- Adjustment
  - fuel, 109
  - time of day, 108
  - time of year, 109
- Air
  - elimination, 17
  - flow measurements, 227
  - flow resistance, coils, 233
  - flow resistance, filters, 234
  - leakage in pneumatic systems, 248
  - resource, 50
  - systems, 225
- Air-cooled condenser fans, 80
- Alternate energy sources, 163
- AMCA standard test method, 232
- Annual energy consumption, 71
- Apollo II, 34
- Applied science, 3
- Architectural constraints, 33
- ASHRAE, 42, 55
- Audit, energy, 29, 92, 93, 97, 100
  - exploratory, 100
  - ongoing management, 100, 106
  - use of, 105
- Auxiliary devices, 74
- Availability, energy, 85
- Available product, 5
  
- Balancing, 225, 236
- Base energy use, 101
- Bills, electric, 100
- Bio fuels, 44
- Block load, 77, 129
- BTU per square foot per year, 10
- BTUH per square foot, 9
- Building automation systems (BAS), 92, 95
- Building business management, 241
- Building codes, 10, 110, 112, 113
  - definition of, 112
  - universal or national, 112, 114
- Building design, energy consciousness in, 72
- Building environmental system, 68, 77
- Building loads, 68
- Bulk transportation, 51
- Business management, building, 241
  
- Calibration of controllers, 248
- Campus chilled water system, 190
- Capacity, specific, 68
- Capital, 23
- Carnot, 21
  - coefficient of performance, 259
  - efficiency, 255
  - principle, 88, 255
- Carrier, Willis Haviland, 33
- Cascading opportunity, 13
- Catagories, end use, 102
- Central chilled water plant, 190
- Central heating, 33
- Central processing unit (CPU), 95, 119
- CFM per square foot, 9
- CMF per ton, 9
- Chemical energy, 43
- Chilled water, 188
  - campus system, 190
  - central plant system, 190
  - loop (*see also* Integrated decentralized chilled water loop), 66, 184, 190
  - pumping, 71, 80
- Clausius statement, 88
- Codes 110
  - building, 110, 112, 113
  - building, universal, 112, 114
  - definition, 112
- Coefficient of performance, 88, 257, 261, 265
  - Carnot, 259
  - system, 257
  - thermodynamic, 257
- Cogeneration (*see also* Total energy and Integrated energy system)
  - concept, 164
  - financial feasibility of, 158
  - oil fired plant, 170
- Comfort, 34
- Component uses, 102
- Compression tank, 185
- Compressor control modes, 74
- Compressor energy impact, 147
- Computer
  - as a tool, 127
  - certification of programs, 126
  - digital, 119, 123
  - energy analysis program, 132

## 272 INDEX

### Computer (*Continued*)

- systems analysis programs, 137
- technology, 34
- technology misused, 125
- time sharing, 123, 136, 139
- uses of, 123
- utility rate programs, 139

Computerized energy calculations, 127

Conceptual approach, 6

Condensor water pumps, 71, 80

Consensus standards, 116

Conservation, energy, 93, 94

Consumer concerns, 251

Continuity of methods, 5

Control heat, 98

Control of two phase systems, 220

Central power, 80

Controllers, calibration of, 248

Conventional methods of preheating outdoor air, 211

Conversion efficiency, 262

Cooling coil pressure drop, 233

Cooling and heating auxiliary energy, 99, 102

Cooling load comparisons, 68

Cooling tower fans, 71, 80

Cost

- benefit, 29
- energy and power, 152
- investment, 152
- life cycle, 147, 149, 150
- maintenance/service, 153
- of generating electricity, 159, 161
- operating, 152

Creating a load, 169

Creativity, 5

  

Damper leakage, 248

Definition of energy, 43, 47

Demand, 107

Demand and commodity rate, 108

Design

- complexity, 14
- details, 18
- development, 7
- guidelines for system balance, 237
- parameters, 7, 72, 135
- philosophy, 5
- process, 5
- professional, 27, 30
- simplicity, 14

Designing for reliability, 249

Detailed load calculations, 73

Details of design, 18

Devices, energy conservation, 74

Diesel cycle, 22

Digital computers (*see also* Computers), 119, 123

Diminishing returns, 41

Direct expansion system (liquid line), 223

Distribution system, high level, 77, 128

Distribution system, low level, 77, 128

Domestic hot water energy, 98, 104

Double bundle heat pump, 72

Double duct system, 72

Drain traps, 19

Dual stream systems, 72

Duct design, 227

Durability, 253

Dynamic load calculations, 136

  

Ecologically recyclable, 50

Economic system, 23

Economics

- cascading opportunity, 13
- definition of, 61
- energy, 26, 47, 59, 66, 72, 74, 76, 94
- mass production, 13
- monetary, 61, 63
- risk, 13

Economizer, 73

Education, 23, 25, 28

Efficiency

- conversion, 262
- system, 257, 258
- thermal, 88
- thermodynamic, 257, 258

Electric

- bills, 100
- energy profile, 86, 101
- load profile, 173
- rates, 107, 108, 109

Electrical energy, 43

Electromagnetic wave, 51

End use categories, 102

Energy

- analysis program requirements, 132
- audit, 29, 92, 93, 97, 100
- availability, 85
- consciousness in building design, 72
- conservation, 93, 94
- constant, 78
- cost of, 152
- consumption per capita, 37, 69
- conversion, 43
- cycle, 85
- definition of, 43, 47
- economics, 20, 47, 59, 66, 72, 74, 76, 94
- effectiveness, 167
- Effectiveness factor ( $E_e$ ), 261
- fan, 98, 102, 226
- flow in building systems, 128
- forms, 43, 165
- fossil, 85
- functions, 78, 81
- hypothesis, the, 61, 63
- increase in consumption, 242
- industry, 36
- lighting, 99, 102
- local nature of, 113
- management, 29, 91, 93, 94
- motivating, 129
- penalty, 226
- primary, 226
- problem, 21
- process, 236, 248
- product, 29, 236

- profile, 100
  - electric, 86, 101
  - thermal, 101, 104
- refrigeration compressor, 99, 104
- resource, 163
  - consumption, 4
  - limitations, 41
- retrofit, 106
- revolution, 41
- sink, 85
- source, 74
  - parameters, 74, 165
  - systems 163
- transport systems, 183
- transportation, 51
- unique commodity, 49
- units, 44, 45
- use forms, 165
- utilization evaluation effectiveness, 255
- Energy plant, integrated (*see also* cogeneration and total energy), 158, 160
- Engine, heat, 88
- Engineering
  - essence of, 4
  - fee structures, 39
  - philosophy, 1
  - value, 16
- Entropy, 21
- Equipment selection, optimum, 142
- Equivalent straight payback, 146
- Evaluation functions, 9, 76
- Evaporator drain trap, 18
- Expansion tank, 185
- Exploratory audit, 100
  
- Fads, 12, 13, 83
- Failure maintenance, 245
- Fan, 225
  - curve, 227, 230
  - energy, 98, 102, 226
  - inlet vanes, 231, 233
  - laws, 231
  - power, 226
  - test methods, 230
- Feasibility study, 106
- Fenestration, 69
- Filter air flow resistance, 234
- Financial
  - considerations, 145
  - framework, 91
  - feasibility of cogeneration, 158
  - viability of building venture, 145
- Finite source, 53
- First law analysis, 130
- Flow rate analysis, 73
- Fluid systems, thermal, 183
- Fossil, fuel, 44
- Free steam, 167
- Fuel, 44
  - adjustment, 91, 109
  - rate, 261
  
- Functions
  - energy, 81
  - evaluation, 9, 76
  - power, 78
- Fundamental components concept, 16
  
- GPM per MBTUH, 9
- GPM per ton, 9
- Gross National Product (GNP), 35, 37, 69
  
- Handbook, 5
- Health care facilities, 34
- Head pressure sensitivity, 222
- Heat
  - balance, 175
  - collection, solar, 184
  - control, 98
  - dissipation systems, 177
  - distribution diagram, 175
  - energy, 43
  - engine, 88
  - pipe, 217
  - rate, 261
  - reclaim wheels, 74
  - recovery systems, 174, 217
  - space, 98, 104
  - utilization systems, 175
- Heat/cool/off systems, 72
- Heat-of-light systems, 74
- Heat pump, "double bundle," 74
- Heat pump, water source, 74
- Hidden demand rate, 108
- High level distribution system, 77, 129
- High level source system, 77, 128
- High pressure air distribution, 71, 72, 73
- Hot water energy, domestic, 98, 104
- Hours-of-use rate, 108
- Humidity control, 72
- Hydronic systems, 15, 16, 17, 73, 185
  - air elimination in, 17
  - design rules for simplicity, 15
  - fundamental components, 16
  - load control of, 186
  - secondary pumping, 187
  
- Industrial Revolution, 31, 41, 59
- Infinite sink, 85
- Infinite source, 53, 62
- Initial system adjustments, 237
- Inlet vanes, 231, 233
- Integrated decentralized chilled water system, 66, 184, 190
  - benefits of, 197, 208
  - case history study, 198
  - energy requirements, 208
  - load analysis, 202
  - loop analysis, 203
  - loop capacity, 195, 206
  - loop temperature decrement, 194
  - machine operating hours, 208
  - monitoring systems, 210
  - pipe sizing, 195, 206

## 274 INDEX

- Integrated energy plant (*see also* cogeneration and total energy), 158, 160, 170
- Invested capital, maximum use of, 109
- Investment costs, 152
- Investment optimization, 146, 149, 151
- Iterative analysis, 84
- Kelvin-Planck statement, 88
- KW per ton, 10
- KW-hr per square foot per year, 10
- KW-hr per ton-hour, 10
- Laundry list, 92, 97
- Law of supply and demand, 163
- Life cycle costing, 147, 149, 150
- Life expectancy of machinery 149
- Lighting
  - energy, 99, 102
  - levels, 68
  - power density, 68
- Liquid slugging 223
- Load, 9
  - building, 68
  - calculations, dynamic, 136
  - control, 183
  - energy, 77, 128
  - factor, 107
- Programs, heating and cooling, 135
- Log mean temperature difference (LMTD), 219
- Low level distribution system, 77, 129
- Low level source system, 77
- Main air leakage, 248
- Maintainability, 253
- Maintenance
  - instructions, 254
  - management, 241
  - planned, 245, 250
  - preventive, 245
  - total energy systems, 246
- Maintenance/service costs, 153
- Management, 91
  - audit, ongoing, 100
  - community, 94
  - energy, 29, 91, 93
- Mass produced systems, 83
- Mass production, 83, 119
- Minimum requirements of energy analysis program, 132
- Monetary
  - economics, 61, 63
  - standards, 115
- Motivating energy, 129
- Myth of free stream, 167
- New Science, 59
- New technology, 21
- Norm, comparison to, 10
- Normalization, 101
- Obsolescence, 149
- Oil fired integrated energy plant, 170
- Ongoing monitoring, 237
- Operating costs, 152
- Operating schedules, 73
- Optimum equipment selection, 142
- Otto cycle, 22
- Oversize, system, 73
- Owning costs, 147
- Parasitic loads, 74
- Part load analysis, 73
- Performance, reduction in, 97
- Philosophy
  - design, 5
  - engineering, 1
  - system, 6
- Pipeline flow, 51
- Plato, 24
- Planned maintenance, 245, 250
- Pollution, 41
- Potential energy, 43
- Power, 10, 44, 107
  - and energy, costs of, 152
  - dimensions, 85
  - fan, 226
  - functions, 78
  - impact, 147
- Power factor charges, 108
- Preheating outdoor air, 211
- Pressure drop, cooling coil, 233
- Preventive maintenance, 245
- Primary conversion machinery, 73
- Primary energy, 226
- Prime mover selection, 172
- Process energy, 236, 248
- Product energy, 29, 236
- Product orientation, 5
- Product quality, 252
- Profile, energy, 29, 100
  - electric, 100
  - thermal, 101, 104
- Pumping horsepower, 73
- Pumping, secondary, 187
- Purchased gas adjustment, 91
- Pure science, 3
- Quality, product, 252
- Rankine cycle, 22, 164, 255
- Rates, electric, 107
  - consumption, 107
  - demand, 107
  - demand and commodity, 108
  - demand with ratchet, 108
  - hidden demand, 108
  - hours of use, 108
  - load factor, 107
  - power, 107
  - power factor charges, 108
  - time of day adjustments, 108
  - time of year adjustments, 109
- Rationing, energy, 94
- Real building requirements, 73
- Reduced load characteristics, 131, 171
- Reduction in performance, 97
- Refrigeration
  - auxiliaries, 69

- Refrigeration (*Continued*)  
 compressor energy, 99, 104  
 plants, 32  
 system drives, 80  
 system, fundamental components, 16
- Redundant machinery, 250
- Regionalism, 81
- Regression and curve-fit programs, 139
- Reheat system, 72
- Reliability, 16, 243, 253  
 designing for, 249
- Reset control, improper adjustment, 248
- Resource energy, 163
- Resource Impact Factor (RIF), 57
- Resource Utilization Factor (RUF), 56
- Retrofit, 27
- Return on Investment (ROI), 150
- Return pipe sizing, steam, 221
- Rolla study, 66, 72
- Rule of thumb, 9
- Science  
 applied, 3  
 pure, 3
- Second law (of thermodynamics), 8, 21, 34, 88
- Secondary pumping, 187
- Section 12, 57, 69
- Service/maintenance costs, 153
- Serviceability, 253
- Simplicity in design, 75
- Single phase systems, 73
- Single phase transport, 51
- Size increments, machinery, 73
- Solar energy, heat collection, 184
- Source systems, energy, 163
- Space heat, 98, 104
- Specific capacity, 68  
 building cooling load, 78  
 building energy, 71, 74, 75  
 building heating load, 78  
 building load, 72  
 electrical energy, 78  
 electrical power, 78  
 lighting levels, 68  
 system cooling load, 78  
 system energy, 69, 73  
 system heating load, 78  
 system power, 69  
 thermal energy, 78  
 thermal power, 78, 81
- Square feet per ton, 9
- Standards, 110, 115  
 ASHRAE 90, 55, 61  
 consensus, 116  
 definition 110  
 dimensional, 115, 117  
 for testing and rating, 117  
 monetary, 115  
 safety, 117
- Steam systems, 219  
 control of, 220
- Steam systems (*Continued*)  
 fundamental components, 16, 220  
 return pipe sizing, 221
- Summary specific building energy, 72, 78
- Sunbelt, 35
- Supply and demand, law of, 163
- System  
 balance, 236, 237  
 coefficient of performance, 257  
 efficiency, 257  
 orientation, 5  
 oversize, 73  
 philosophy, 6  
 temperature differentials, 73
- Système International d' Unites (SI), 115
- Temperature  
 differentials, system, 73  
 finite difference, 22
- Terminal control system, 77, 129
- Terminal delivery system, 77, 129
- Thermal balance of vapor compression cycle, 260
- Thermal effectiveness, 259
- Thermal efficiency, 88, 256, 257, 261  
 system, 257  
 thermodynamic, 257
- Thermal energy profile, 101, 104
- Thermal fluid systems, 183
- Thermal load profile, 173
- Thermal storage, 22
- Thermostatic expansion value (unstable operation), 222
- Time of day adjustments, 108
- Time of year adjustments, 109
- Total energy systems (*see also* cogeneration and integrated energy systems), 74, 170, 181  
 failure of, 181  
 maintenance of, 246
- Training, 23
- Transfer fluid systems, 211
- Trend, 12, 23
- Two-phase systems, 219  
 control of, 220  
 fundamental components, 220  
 return pipe sizing, 220  
 vapor lock in, 222
- Two-phase transport, 51
- Unique commodity, 49
- Units, energy, 44, 45
- Universality, 83
- Utility rate programs, 139
- Value engineering, 16
- Vapor compression cycle, 255  
 thermal balance, 260
- Volumetric efficiency (architectural), 12
- Water flow resistance impacts, 147
- Water resources, 50
- Water source heat pump, 74
- Zeroth law of thermodynamics, 256

